INTELLI-SPRAY®

REMOTE CONTROL RETRACTABLE HOSE REEL SPRAYERS

+61 (07) 5493 8944
1800 645 688
info@intelli-spray.com
www.intelli-spray.com
1-15 Research Street
Coolum Beach, QLD, 4573

RFR UPGRADEABLE HOSE REELS

PRODUCT OVERVIEW

Our range of firefighting reels allows you to switch from manual fire hose reels to remote-controlled, self-guided reels. Our powered reels make handling hoses easier by retracting them automatically for the operator. Designed to fit different hose lengths and sizes, we have a reel to suit almost any hose setup.

Capable of holding:

- 100m of 1/2" ID hose
- 60m of 3/4" hose
- 30m of 1" ID hose

**Widths and lengths vary between models.*

AUSTRALIAN MADE AUSTRALIAN OWNED

OVER 35 YEARS MARKETING LEADERS

INTELLI-SPRAY®

REMOTE CONTROL RETRACTABLE HOSE REEL SPRAYERS

+61 (07) 5493 8944
1800 645 688
info@intelli-spray.com
www.intelli-spray.com
1-15 Research Street
Coolum Beach, QLD, 4573

FEATURES

RFR-4: REMOTE CONTROL SELF-GUIDED REEL

- Includes all RFR-1/2/3 features
- 360 degree, 100m remote range
- Manual override button for power retraction as well as hand rewind capacity
- Manual handle supplied

RFR-3: SELF GUIDED POWERED REEL

- 12 or 24 volt heavy duty electric motor
- Available in left or right hand water inlet
- Archimedes shaft self feed hose guide
- 6 HDPE rollers
- Hose feed in at 180 degree and out at 60 degrees
- Hands free hose guided rewind
- Reel lock and friction brake

RFR-2: POWERED REEL

- 12 or 24 volt heavy duty electric motor
- Available in left or right hand water inlet
- 4 stainless steel rollers
- Hose feed in/out at 180 degrees
- Powerful and consistent retraction
- Reel lock and friction brake

RFR-1: MANUAL REEL

- Manual hand rewind
- Available in left or right hand water inlet
- 4 stainless steel rollers
- Hose feed in/out at 180 degrees
- Reel lock and friction brake

INTELLI-SPRAY®
REMOTE CONTROL RETRACTABLE HOSE REEL SPRAYERS

+61 (07) 5493 8944
1800 645 688

info@intelli-spray.com
www.intelli-spray.com

1-15 Research Street
Coolum Beach, QLD, 4573

DIMENSIONS

RFR = Standard Hose Reel RFRA = Small Hose Reel RFRB = Large Hose Reel RFRC = Extra Large Hose Reel
1 = Manual 2 = Powered 3 = Self-Guided 4 R/C Self-Guided

	RFR 1	RFR 2,3,4	RFRA 1	RFRA 2,3,4	RFRB 2,3,4	RFRC 2,3,4
A Length (overall)	710mm	730mm	590mm	610mm	730mm	860mm
B Width (overall)	475mm	480mm	475mm	480mm	795mm	795mm
C Height (overall)	615mm	630mm	570mm	590mm	630mm	810mm
Hose Capacity 1/2" or 12.7mm ID	100m	100m	50m	50m	200m	350m
Hose Capacity 3/4" or 20mm ID	60m	60m	30m	30m	100m	200m
Hose Capacity 1" or 25.4mm ID	30m	30m	N/A	N/A	60m	90m

WEIGHTS

	RFR	RFRA	RFRB	RFRC
Manual (1)	18kg | 39.6lbs	16kg | 35.2lbs	N/A	N/A
Powered (2)	29kg | 36.9lbs	27kg | 59.5lbs	35kg | 77.1lbs	47kg | 103.6lbs
Self-Guided (3)	33kg | 72.7lbs	31kg | 68.3lbs	40kg | 88.1lbs	52kg | 114.6lbs
R/C Self-Guided (4)	33kg | 72.7lbs	31kg | 68.3lbs	40kg | 88.1lbs	52kg | 114.6lbs