INTELLI-SPRAY®
REMOTE CONTROL RETRACTABLE HOSE REEL SPRAYERS

+61 (07) 5493 8944
1800 645 688

info@intelli-spray.com
www.intelli-spray.com

1-15 Rsearch Street
Coolum Beach, QLD, 4573

9TBE / 10TBE TWIN REEL SPRAY SYSTEM

THE INTELLI-SPRAY DIFFERENCE:

- 30+ YEARS EXPERIENCE
- SAVE TIME & MONEY
- REDUCE FRUSTRATION
- IMPROVE SAFETY
- AUSTRALIAN MADE
- REMOTE TECHNOLOGY
- SUPA-SLIP HOSE
- HEAVY DUTY
- CUSTOMER CARE

PRODUCT OVERVIEW

The fastest, easiest way to manage weeds, the Intelli-Spray 9TBE will cut your spray time by 50%.

With twin reels for dual operation and remote controlled retractable hose reels, the 9TBE unit is the preferred weed spraying system for councils, farmers and contractors across Australia.

With remote controlled reel retraction, it'll save you time and effort by rewinding the hose for you, with the simple press of button on a hand-held transmitter.

The slip-on one-piece framework is built and designed for heavy duty spraying tasks, that not only eliminates weeds, but helps you work faster and boost your productivity.

AUSTRALIAN MADE AUSTRALIAN OWNED

OVER 35 YEARS

INTELLI-SPRAY®

REMOTE CONTROL RETRACTABLE HOSE REEL SPRAYERS

(07) 5493 8944
1800 645 688

info@intelli-spray.com
www.intelli-spray.com

1-15 Research Street
Coolum Beach, QLD, 4573

FEATURES

MANAGE MORE WEEDS, SAVING TIME & MONEY

Twin reel units enable two operators to work independently of each other, as each reel has its own radio frequency. This increases productivity where large amounts of area need to be covered in the shortest amount of time. With a hand-held nozzle, the spray is targeted on only selected vegetation, reducing chemical usage which saves you money on costly chemicals.

PROUDLY AUSTRALIAN MADE

Designed, fabricated and assembled in Australia, our mechanically-driven reels will never burn out your motor, unlike conventional 12-volt spray systems.



Available in multiple tank colours

DURABLE, ROBUST CONSTRUCTION

The workhorse of the range and renowned for our tough hose rewind action, Quik Spray's reel retraction is strong enough to assist you up steep, hilly terrain if required. Each reel accommodates up to 200m of hose, which is ideal for isolated, difficult-to-reach locations.

CUSTOMISABLE TO THE WAY YOU SPRAY

Each Quik Spray is made-to-order, to fit your needs. Choose from 200L to 2000L tank sizes, upgraded pump and motor options including diesel motors, boomless jets, lifting bars and firefighting capabilities. Easily mounted to a ute or trailer.

SPECIFICATIONS

9TBE / 10TBE

	9TBE	10TBE
ENGINE	RELIABLE 9HP HONDA OHV MOTOR, ELECTRIC KEY START WITH 10 AMP CHARGE COIL	10HP KOHLER DIESEL OHV MOTOR, ELECTRIC KEY START WITH 10 AMP CHARGE COIL
PUMP	BERTOLINI PA530 TRIPLE DIAPHRAGM PUMP (54L/MIN | 14.2gal /MIN 580 PSI MAX)	BERTOLINI PA530 TRIPLE DIAPHRAGM PUMP (54L/MIN 14.2gal/MIN 580 PSI MAX)
CONTROLLER	4 OUTLET PRESSURE CONTROLLER WITH GAUGE	
HOSE	UP TO 200M 'SUPA-SLIP' NYLON HOSE FITTED, 10MM ID 1000PSI BP (100 METRES PER HOSE REEL)	
BATTERY	POWERFUL CHARGING OF 12V BATTERY THROUGH UNIQUE 10A OUTPUT HONDA MOTOR	
TANK SIZE	200L | 53gal TO 2000L | 528gal	200L | 53gal TO 2000L | 528gal
FRAMEWORK	HARD POWDER COATED OR GALVANISED FRAMEWORK WITH SLIP-ON CAPABILITY AND BOLT DOWN PLATES	
REEL	TWO HOSE REELS WITH UP TO 200M (656FT) OF 3/8"ID SUPA-SLIP® HOSE PER REEL	

INTELLI-SPRAY®
REMOTE CONTROL RETRACTABLE HOSE REEL SPRAYERS

+61 (07) 5493 8944
1800 645 688

info@intelli-spray.com
www.intelli-spray.com

1-15 Research Street
Coolum Beach, QLD, 4573

DIMENSIONS 9TBE / 10TBE

	400L | 105gal SQUAT TANK	400L | 105gal ROUND TANK	600L | 158gal SQUAT TANK	600L | 158gal ROUND TANK	800L | 211gal TANK	1000L | 265gal TANK
LENGTH	2150mm | 85in	2010mm | 79in	2150mm | 85in	2010mm | 79in	2330mm | 91in	2330mm | 91in
WIDTH	1310mm | 52in	1255mm | 49in	1310mm | 52in	1335mm | 53in	1400mm | 55in	1400mm | 55in
BASE LENGTH	2070mm | 82in	1810mm | 71in	2070mm | 82in	1810mm | 71in	2150mm | 85in	2150mm | 85in
BASE WIDTH	1180mm | 47in	1180mm | 47in	1180mm | 47in	1180mm | 47in	1180mm | 47in	1180mm | 47in
HEIGHT	740mm | 29in	960mm | 38in	890mm | 35in	960mm | 38in	830mm | 32in	830mm | 32in
DRY WEIGHT	238kg | 525lb	238kg | 525lb	248kg | 547lb	248kg | 547lb	258lg | 569lb	258kg | 569lb